

Toshihiro Nakamori Ph.D.

Izumisano City, Osaka Pref. 598-8540, Japan
Phone: +81-(0)72-463-1120 Mobile: 81-(0)90-2280-1131
E-mail: nakamori.toshihiro@so.fujioil.co.jp

WORK EXPERIENCE:

4/1988 to Present **Fuji Oil.Ltd, Fuji Oil Holdings Inc.**

Served as *Senior Manager* and *Planning Management Team Leader* at Research Institute for Creating the Future from Apr. 2018 to Mar. 2019 and as *Research Strategy Team Leader* in Innovation Strategy Group from Apr. 2019 to Present.

Worked in Research Strategy Dept., R&D from Apr. 2013 to Mar. 2018.

Worked in Overseas Marketing Dept. from Apr. 2011 to Mar. 2013.

Served as *Manager* in charge of soy peptide development in Specialty & Functional Food Ingredients Development Sec. from Apr. 2000 to Mar. 2011.

- Succeeded in complete farm raising of eels with Dr. Hideki Tanaka at National Research Institute of Aquaculture. Jointly received the 2004 Nikkei Bio Award.
- Developed so-called “the third beer” with major beer brewery.
- Developed soy peptide drink with global beverage company.

Served as *Group Leader* in Soy Protein Development Dept. from Dec. 1995 to Mar. 2000.

- Carried out development and promotion of soy protein featuring new texture.

Worked in Planning & Administration Office, R&D Div. and Corporate Planning Office from Dec. 1992 to Dec. 1995.

- Involved in expansion of new business.
- Promoted commercialization of shea butter for cosmetic use.
- Also promoted business of soybean water-soluble polysaccharide in non-food fields.

Worked in Basic Research Group at R&D Center from Apr. 1988 to Dec. 1992.

- Worked on removal of bitter taste from soybean peptide.

EDUCATION: Bioresource and Bioenvironmental Sciences
Kyushu University
Doctor's degree, 2014

The Graduate School of Pharmaceutical Sciences
The Kitasato University
Master's degree, 1988

LICENSE: Pharmacist

PAPERS: T. Nakamori, M. Maebuchi, J. Okuda, M. Suzuki, R. Takeda, and A. Sawada : Behavioral Evidence for Beneficial Effects of Soy Peptide Supplementation on

Higher Brain Function in Healthy Young Volunteers. *Jpn Pharmacol Ther.* 41: 457-464 (2013)

T. Nakamori, M. Nagai, M. Maebushi, H. Furuta, E. Yoiung-Park, K. Sato: Identification of peptides in sediment formed in acid solution of enzymatic soy protein hydrolysate. *Food Science and Technology Research*

T. Aoyama, K. Fukui, T. Nakamori, Y. Hahimoto, T. Yamamoto, K. Takamatsu, and M. Sugano: Effect of Soy and Milk Whey Protein Isolates and Their Hydrolysates on Weight Reduction in Genetically Obese Mice. *Biosci. Biotechnol. Biochem.* 64: 2594-2600 (2000)

H. Fukuda, T. Kimura, A. Owaki, T. Nakamori, K. Takamatsu, N. Iritani: Effects of Soy Protein Isolate on Gene Expressions of Uncoupling Proteins: Studies in Rats and Primary Cultured Adipocytes. *Soy Protein Research.* 8: 103-107 (2005)

S. Tamaru, T. Kurayama, M. Sakono, N. Fukuda, T. Nakamori, H. Furuta, K. Tanaka, and M. Sugano: Effects of Dietary Soybean Peptides on Hepatic Production of Ketone Bodies and Secretion of Triglyceride by Perfused Rat Liver. *Biosci. Biotechnol. Biochem.* 71: 2451-2457 (2007)

R. Liyanage, K. Han, S. Watanabe, K. Shimada, M. Sekikawa, K. Ohba, Y. Tokuji, M. Ohnishi, S. Shibayama, T. Nakamori, and M. Fukushima: Potato and Soy Peptide Diets Modulate Lipid Metabolism in Rats. *Biosci. Biotechnol. Biochem.* 72: 943-950 (2008)

H. P. Nguyen, P. Khaoian, H. Fukada, T. Nakamori, H. Furuta, and T. Masumoto: Effects of different soybean proteins on lipid digestion and growth of yellowtail *Seriola quinqueradiata*. *Fisheries Science.* 77: 357-365 (2011)

N. Inoue, K. Nagao, K. Sakata, N. Yamano, P. ER. Gunawardena, S. Han, T. Matsui, T. Nakamori, H. Furuta, K. Takamatsu and T. Yanagita: Screening of soy protein-derived hypotriglyceridemic di-peptides in vitro and in vivo. *Lipids in Health and Disease.* 10: (2011)

Md. K. N. B. Sufian, T. Hira, T. Nakamori, H. Furuta, K. Asano, and H. Hara: Soybean β -conglycinin bromelain hydrolysate stimulates cholecystokinin secretion by enteroendocrine STC-1 cells to suppress the appetite of rats under meal-feeding conditions. *Biosci. Biotechnol. Biochem.* 75: 848-853 (2011)

T. Hira, N. Mori, T. Nakamori, H. Furuta, K. Asano, H. Chiba, and H. Hara: Acute effect of soybean beta-conglycinin hydrolysate ingestion on appetite sensations in healthy humans. *Appetite.* 57: 765-768 (2011)

D. Young, M. Ibuki, T. Nakamori, M. Fan, and Y. Mine: Soy-Derived Di- and Tripeptides Alleviate Colon and Ileum Inflammation in Pigs with Dextran Sodium Sulfate-Induced Colitis 1,2,3. *J. Nutr.* 142: 363-368 (2012)

J. Kovacs-Nolana, H. Zhanga, M. Ibuki, T. Nakamori, K. Yoshiura, P. V. Turnere, T. Matsui, and Y. Mine: The PepT1-transportable soy tripeptide VPY

reduces intestinal inflammation. *Biochimica et Biophysica Acta*. 1820: 1753–1763 (2012)

K. Esaki, T. Ohmori, M. Maebuchi, T. Nakamori, T. Ohshima, and S. Furuya: Increased Tyrosine in the Brain and Serum of Mice by Orally Administering Dipeptide SY. *Biosci. Biotechnol. Biochem.* 77: 847-849 (2013)